Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(discountinuous near range) near10 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 16:58
L2	0	(value near range) near10 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 17:00
L3	3	groups near (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 17:01
L4	10	(separate near key) near10 (authentication and encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 17:05
L5	0	((separate near key) near10 (initialization near vector)) same (authentication and encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 17:05
L6	0	((separate near key) near10 (initialization near vector)) and (authentication and encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 17:05
L7	4	(separate near10 (initialization near vector)) and (authentication and encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 17:06
S2	0	((initialization near vector) and authenticat$3) and (partition$3 near10 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/06 13:01
S3	0	((initialization near vector) and authenticat$3) and (partition$3 or divi$4) and WEP and ((encrypt$3 or decrypt$3) near communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/06 13:02

S4	0	(initialization near vector) and (partition$3 or divi$4) and WEP and ((encrypt$3 or decrypt$3) near communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/06 13:03
S5	9	(initialization near vector) and WEP and ((encrypt$3 or decrypt$3) near communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/06 13:08
S6	8189	((initialization near vector) and WEP and ((encrypt$3 or decrypt$3) near communication)) ane ((eliminat$3 or prevent$3) near (replay near attack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/06 13:06
S7	0	((initialization near vector) and WEP and ((encrypt$3 or decrypt$3) near communication)) and ((eliminat$3 or prevent$3) near (replay near attack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/06 13:06
S8	185	((eliminat$3 or prevent$3) near (replay near attack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/06 13:06
S9	87	(initialization near vector) and ((encrypt$3 or decrypt$3) near communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 16:10
S10	24	(initialization near vector) and WEP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 16:01
S11	0	(initialization near vector) and (WEP near authenticat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/06 13:09
S12	1	"5016276".PN.	USPAT	OR	OFF	2004/06/23 14:18
S13	1	"6167514".PN.	USPAT	OR	OFF	2004/06/23 14:24
S14	1	"0048744".PN.	USPAT	OR	OFF	2004/06/23 14:25
S15	0	2001/0048744	USPAT	OR	OFF	2004/06/23 14:25
S16	0	"20010048744"	USPAT	OR	OFF	2004/06/23 14:26
S17	7095	kimura.in.	USPAT	OR	OFF	2004/06/23 14:27
S18	2	kimura.in. and "dramatically improve"	USPAT	OR	OFF	2004/06/23 14:28

S19	0	kimura.in. and ("access point device and authentication method thereof".ti.)	USPAT	OR	OFF	2004/06/23 14:30
S20	0	kimura.in. and ((access near point near device).ti.)	USPAT	OR	OFF	2004/06/23 14:30
S21	0	kimura.in. and ((access near point).ti.)	USPAT	OR	OFF	2004/06/23 14:31
S22	0	kimura.in. and "access point device and authentication method thereof"	USPAT	OR	OFF	2004/06/23 14:32
S23	1991	kimura.in. and ("Col." "4", lines 60-67 and "Col." "5", lines 1-67)"."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:36
S24	0	"authentication-authorization" and kimura.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:37
S25	0	authentication-authorization and kimura.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:37
S26	2	authentication-authorization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:37
S27	0	"20010048744" and kimura.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:41
S28	6	(media near access) and kimura.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:42
S29	0	(authentication-requesting near mobile) and kimura.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 14:42
S30	61	generat$3 near(initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 16:14

S31	0	kimura.in. and "access point device and authentication method thereof"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/23 16:02
S32	61	generat$3 near (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 16:08
S33	1	generat$3 near (initialization near vector) and wep	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 16:08
S34	1	(initialization near vector) and ((encrypt$3 or decrypt$3) near communication) and (generat$3 near (initialization near vector) and wep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/23 16:10
S35	16	(generat$3 near(initialization near vector)) and "XOR"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 09:31
S36	2	"5748744".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:44
S37	1343	updat$3 same ((number or count) near (display or copy or reproduc$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 10:48
S38	0	(updat$3 same ((number or count) near (display or copy or reproduc$3))) and encryt$4 and ((usage or reproduction or copy) same condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 11:09
S39	222	(updat$3 same ((number or count) near (display or copy or reproduc$3))) and ((usage or reproduction or copy) same condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 11:09
S40	114	(updat$3 same ((number or count) near (display or copy or reproduc$3))) and ((usage or reproduction) same condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 11:09

S41	25	(updat$3 same ((number or count) near (display or copy or reproduc$3))) and ((reproduction) same condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/24 11:10
S42	0	2001/0048744	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 14:52
S43	3	"20010048744"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 14:53
S44	2	"20020009199"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 14:53
S45	340	(initialization near vector) and authenticat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 15:51
S46	57	((initialization near vector) and authenticat$3) and "XOR" AND secret	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 17:01
S47	1	((initialization near vector) and authenticat$3) and ((partition$3 or divid$4) near10 ((initialization near vector) or iv))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 17:03
S48	16	((initialization near vector) and authenticat$3) and ((partition$3 or divid$4) same ((initialization near vector) or iv))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/09 17:03
S49	0	2001/0048744	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:22
S50	3	"20010048744"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:23

S51	2	"20020009199"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:34
S54	98	(initialization near vector) same authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:40
S55	18	(generat$4 near10 (initialization near vector)) same authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:45
S56	108	(generat$4 near10 (initialization near vector)) same encrypt$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:06
S57	4	S56 and (seed near10 (random near (number near5 generator)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:39
S58	2	"60226404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:14
S59	1108	(vector near15 initial$6) same (bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:21
S60	0	S59 and (database same (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:20
S61	2	S59 and (database same (sequence near bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:20
S62	169	S59 and (verifi$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:22

S63	45	S62 and (encrypt$4 or encipher$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 19:07
S64	5985	vector and (encrypt$4 or encipher$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 19:08
S65	811	S64 and (select$4 near10 vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 19:10
S66	128	S64 and (vector near10 (encryption near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 19:10
S67	20	S66 and (different near10 vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:33
S68	0	(initial$6 near10 vector) same (if and encrypt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:34
S69	6	(initial$6 near10 vector) same if	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:34
S70	6	(initial$10 near10 vector) same if	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:34
S71	2	"4893339".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:37
S72	165	(generat$4 near20 (initial$7 near10 vector)) same encrypt$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:07

S73	238	(generat$4 near20 (initial$7 near10 vector)) same (compar$4 or test$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:07
S74	10	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:13
S75	2	"6011847".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:19
S76	1	"5495533".PN.	USPAT; USOCR	OR	ON	2005/01/12 11:15
S77	1	"5432850".PN.	USPAT; USOCR	OR	ON	2005/01/12 11:15
S78	1	"5406624".PN.	USPAT; USOCR	OR	ON	2005/01/12 11:16
S79	1	"5402492".PN.	USPAT; USOCR	OR	ON	2005/01/12 11:16
S80	1	"5369707".PN.	USPAT; USOCR	OR	ON	2005/01/12 11:17
S81	1	"5369702".PN.	USPAT; USOCR	OR	ON	2005/01/12 11:17
S82	2	"6026506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:21
S83	2	"5485221".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:22
S84	819	initialization near vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 07:54
S85	176	generat$5 near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:19

S86	1	S85 and (wireless near (unit or device)) and (challenge near text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 07:57
S87	2	S85 and (access near point) and (challenge near text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 07:57
S88	1	S87 not S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 07:57
S89	62	S85 and "xor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S90	2	"6,324,648".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:07
S91	2	"6,182,142".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:08
S92	1313	(retriev$5 or cach$5) near5 (user near (info or profile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:09
S93	2	"6253327".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 10:50
S94	1	"6092196".PN.	USPAT; USOCR	OR	ON	2005/05/25 10:50
S95	1	"6047376".PN.	USPAT; USOCR	OR	ON	2005/05/25 10:53
S96	1	"6006334".PN.	USPAT; USOCR	OR	ON	2005/05/25 10:55
S97	1	"5944824".PN.	USPAT; USOCR	OR	ON	2005/05/25 11:01

S98	177	generat$5 near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:18
S99	743	"wired equivalent privacy" or WEP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:18
S100	13	S99 AND (generat$5 near5 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:36
S101	10	S100 AND ENCRYPT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:32
S102	1	REGENERAT$5 NEAR5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:34
S103	6	S100 and "xor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:59
S104	433	(initialization near vector) and authenticat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:01
S105	3	(initialization near vector) and ecrypt$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 12:59
S106	2	S105 and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:00
S107	429	(initialization near vector) and authenticat$5 and (encrypt$5 or encipher$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 13:01

S108	331	((initialization near vector) same bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:48
S109	140	S108 and (set$5 near4 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:49
S110	0	S109 and (range near5 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:49
S111	2	S109 and (range same (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:54
S112	36	S109 and (value near10 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 14:55
S113	36	S112 not S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:37
S114	0	Conditional near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:38
S115	15	compar$5 near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/26 16:49
S116	3	(check$5 or compar$5) near5 (generat$5 near3 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:32
S117	822	initialization near vector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:47

S118	194	S117 and (data near communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:33
S119	5	S118 and (challenge near text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:34
S120	58	S118 and (set near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:35
S121	56	S120 not S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:35
S122	33	S121 and continuous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:37
S123	5	S122 and (share$5 near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:38
S124	11	S117 and mobile and (access near point) and share	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:33
S125	11	S124 not S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 13:41
S126	44	S117 and mobile and (access near point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:34
S127	33	S126 not S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:40

S12 8	19	S127 and range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:43
S12 9	1	S128 and (set$5 near4 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:41
S13 0	4	S127 and (determin$5 near4 value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:44
S13 1	0	S118 and authenticat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:48
S13 2	5	S118 and (challenge near text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:38
S13 3	1	"5958018".PN.	USPAT; USOCR	OR	ON	2005/05/27 14:49
S13 4	12	cbc and ((initialization near vector) near10 authenticat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:39
S13 5	106	cbc and ((initialization near vector) near10 (encrypt$5 or encipher$5 or encod$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:39
S13 6	11	S135 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:00
S13 7	34	((different or another or separate) near5 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:32

S13 8	30	(different near5 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:33
S13 9	15	S138 and (encrypt$5 or encod$5 or encipher$5) and authenticat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:04
S14 0	13	group near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:34
S14 1	62	(set or range) near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:10
S14 2	62	S141 not S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:10
S14 3	8	S142 and ((initialization near vector) same (authenticat$5 and encrypt$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:23
S14 4	1	(authenticated near encryption) near10 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:26
S14 5	0	regenerat$5 near (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:26
S14 6	0	regenerat$5 near3 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:26
S14 7	1	regenerat$5 near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:27

S148	60	(another or different or new) near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:31
S149	8	S148 and ((check$4 or compar$5) near5 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:29
S150	0	((another or different or new) near5 (initialization near vector)) same (authenticat and encrypt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:33
S151	7	group near4 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:33
S152	7	S151 notl1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:33
S153	0	S151 not S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:33
S154	3	valid near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:34
S155	0	(continuous near3 bits) near10 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:35
S156	0	(sequential near3 bit) near10 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:35
S157	189	(bit or byte) near5 (initialization near vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:35

S15 8	63	S157 and (continuous or discontinuous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 14:36
S15 9	11	S158 and ((first and second) near3 group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 15:18
S16 0	0	((two near2 group) near5 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 15:19
S16 1	1	((two near5 group) near10 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 15:20
S16 2	0	((separate near5 group) near10 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 15:20
S16 3	1	((second near5 group) near10 (initialization near vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/29 16:48